JOURNAL OF ROBOTIC SYSTEMS

INDEX TO VOLUME 13

ISSUES 1–12, 1996

An Interscience® Publication
Published by John Wiley & Sons, Inc.

© 1996 by John Wiley & Sons, Inc.

JOURNAL OF ROBOTIC SYSTEMS

Editors

Gerardo Beni and Susan Hackwood
College of Engineering
University of California, Riverside
Riverside, California

Editorial Board

J. Albus
National Institute of Standards and Technology, Gaithersburg, Maryland

S. Arimoto
University of Tokyo, Tokyo, Japan

R. Bajcsy
University of Pennsylvania, Philadelphia, Pennsylvania

B.G. Batchelor
University of Wales, Cardiff, Wales

A.K. Bejczy
Jet Propulsion Laboratory, Pasadena, California

P. Dario
University of Pisa, Italy

E. Freund
Universität Dortmund, Dortmund, Germany

T. Fukuda
Nagoya University, Nagoya, Japan

K. Furuta
Tokyo Institute of Technology, Tokyo, Japan

E. Hall
University of Cincinnati, Cincinnati, Ohio

S. Hirose
Tokyo Institute of Technology, Tokyo, Japan

H. Inoue
University of Tokyo, Tokyo, Japan

R. Kelley
Rensselaer Polytechnic Institute, Troy, New York

H. Miura
University of Tokyo, Tokyo, Japan

A. Oosterlinck
Catholic University of Leuven, Heverlee, Belgium

A.C. Sanderson
Rensselaer Polytechnic Institute, Troy, New York

G.N. Saridis
Rensselaer Polytechnic Institute, Troy, New York

Y. Shirai
Osaka University, Osaka, Japan

J.P. Trevelyan
University of Western Australia, Nedlands, Australia

S. Tsuji
Osaka University, Osaka, Japan

M. Uchiyama
Tohoku University, Sendai, Japan

Y. Umetani
Tokyo Institute of Technology, Tokyo, Japan

Editorial Production

Joanne Sickler
College of Engineering
University of California, Riverside
Riverside, California

Hattie Heavner
John Wiley & Sons, Inc.

Associate Editor for Dynamics, Kinematics, and Control

J.M. McCarthy
University of California, Irvine
Irvine, California

The *Journal of Robotic Systems* (ISSN: 0741-2223) is published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Copyright © 1996 by John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 and 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, 508-750-8400, fax 508-750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the United States Copyright Law. The per-copy fee is to be paid through the Copyright Clearance Center, Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volume 13, 1996): $888.00 in US, $1,008.00 in Canada and Mexico, $1,074.00 outside North America. All subscriptions outside US will be sent by air. Personal rate: $180.00 in US, $252.00 outside North America. Subscriptions at the personal rate are available only to individuals. Payment must be made in US dollars drawn on a US bank. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645; E-mail: SUBINFO@wiley.com.

Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits.

Postmaster: Send address changes to *Journal of Robotic Systems*, Susan Malawski, Director, Subscription Fulfillment and Distribution, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Advertising Sales: Inquiries concerning advertising should be forwarded to Susan Levey, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158; (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO 19 1UD, England.

Reprints: Reprint sales and inquiries should be directed to the customer service department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel: (212) 850-8776.

Manuscripts should be submitted to the Editors, Dr. G. Beni or Dr. S. Hackwood, *Journal of Robotic Systems*, College of Engineering, University of California—Riverside, Riverside, CA 92521-0425. Information for contributors appears in the first and last issues of each volume.

Other Correspondence: Address all other correspondence to *Journal of Robotic Systems*, Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in Applied Science & Technology Index, *Computer and Control Abstracts, Compumath, Computer & Information Systems Abstracts, Current Contents/Engineering, Technology & Applied Sciences, Current Papers on Computers & Control, Current Papers in Electrical & Electronics Engineering, Electrical & Electronics Abstracts, Engineering Index, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI), Wilson Applied Science & Technology Abstracts.*

♾ **This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).**

Journal of Robotic Systems

Author Index to Volume 13

Adams, J., Methods for low-velocity friction compensation: theory and experimental study, 391
Ashrafiuon, H., Development of virtual link method for the solution of hyper-redundant spatial robots, 371

Barany, E., see Colbaugh, R.
Basir, O. A., Modeling and fusing uncertain multisensory data, 95
Baz, A., Optimum Design of a buoyancy and gravity-driven underwater robot, 461
Bock, O., Parametric motor control: a new approach to the control of point-to-point manipulator movements, 35
Bose, S. C., see Fang, J.-S.
Boudreau, R., Solving the forward kinematics of parallel manipulators with a genetic algorithm, 111
Boyer, F., Generalization of Newton-Euler model for flexible manipulators, 11

Cai, L., see Song, G.
Carelli, R., see Kelly, R.
Casal, A., see Khatib, O.
Cellier, L., see Perrier, C.
Chang, K., see Khatib, O.
Chang, C. C., Ultrasonic sensor data integration and its application to environment protection, 663
Cheah, C. C., Learning control for a class of nonlinear differential-algebraic systems with application to constrained robots, 141
Chirikjian, G., Evaluating efficiency of self-reconfiguration in a class of modular robots, 317
Cho, D. K., see Sung, Y. W.
Choi, S.-B., A hybrid actuator scheme for robust position control of a flexible single-link manipulator, 359
Chung, M. J., see Sung, Y. W.
Cloutier, G. M., Dual conformance index-based robotic arm placement and adaptation, 187
Cocatre-Zilgien, J. H., Performance of a muscle-like "Leaky" pneumatic actuator powered by modulated air pulses, 379
Coiffet, P., see Boyer, G.
Colbaugh, R., Adaptive stabilization and tracking control of electrically driven manipulators, 203
Colbaugh, R., see Wedeward, K. J.

Damaren, C. J., Adaptive control of flexible manipulators carrying large uncertain payloads, 219
Daniel, R. W., see McAree, P. R.
Dauchez, P. G., Guest editorial: special issue on mobile manipulators, 685
Dauchez, P. G., see Perrier, C.
De, A., A two-DOF manipulator with adjustable compliance capabilities and comparison with the human finger, 25
Degoulange, E., see Perrier, C.
Delcomyn, F., see Cocatre-Zilgien, J. H.
D'Eleuterio, G. M. T., see Bock
Deo, A. S., Dynamics and control of multiple cooperating manipulators with rolling contacts, 619
Dudek, G., Mapping in unknown graph-like worlds, 539
Duffy, J., see Hines, R.

Ebert-Uphoff, I, see Chirikjian
Engelmann, A., see Wedeward, K. J.

Fang, J.-S., A parallel approach of the inverse kinematics solutions for robots using a transputer network, 341
Fraisse, P., see Perrier, C.
Freedman, P., see Dudek, G.

Glass, K., see Colbaugh, R.
Gourdeau, R., see Cloutier, G. M.
Gower, K. B., see Pin, F. G.
Grodski, J. J., see Bock
Gumusel, L., see Baz, A.
Gurocak, H. B., Fuzzy rule base optimization of a compliant wrist sensor for robotic assembly, 475

Hacker, C. J., see Pin, F. G.
Hadjres, S., see Dudek, G.
Hart, J. M., see Cocatre-Zilgien, J. H.
Hines, R., Inverse analysis of a planar two-spring system, 679
Holmberg, R., see Khatib, O.
Hor, M., Coordinating multiple groups of robots for gaiting process, 499
Hsia, T. C., Stability analysis of a robust PD control law for robot manipulators, 353

Ivlev, R., see Seraji, H.

Kawasaki, H., An efficient algorithm for generating manipulator inertia matrix using the minimum set of dynamics parameters, 261
Kelly, R., A class of nonlinear PD-type controllers for robot manipulators, 793
Khatib, O., Coordination and decentralized cooperation of multiple mobile manipulators, 755
Khosla, P. K., see Nelson, B. J.
Kim, D., Dual Quaternion application to kinematic calibration of wrist-mounted camera, 153
Kuo, M. J., see Wang, L.-C. T.

Legnani, G., Static calibration of industrial manipulators: design of an optical instrumentation and application to SCARA robots, 445
Li, J. Z., Adaptive path planning and obstacle avoidance for a robot with a large degree of redundancy, 163
Lim, D., see Seraji, H.
Lin, L.-C., A composite adaptive control with flexible quantity feedback for flexible-link manipulators, 289
Lipitkas, J., see Bock

Ma, S., A balancing technique to stabilize local torque optimization solution of redundant manipulators, 177
Mao, Z., see Hsia, T. C.
McAree, P. R., A fast, robust solution to the Stewart platform forward kinematics, 407
Mills, J. K., Dynamic modeling and control of a multi-robot system for assembly of flexible payloads with applications to automotive body assembly, 817
Mina, C., see Legnani, G.
Morgansen, K. A., see Pin, F. G.
Müller, P. C., see Yu, J. S.
Murata, A., see Kawasaki, H.
Muszyński, R., Normal forms of nonredundant singular robot kinematics: 3 DOF worked examples, 765

Nagatani, K., Door-opening behavior of an autonomous mobile manipulator by sequence of action primitives, 709
Nassal, U. M., Motion coordination and reactive control of autonomous multi-manipulator systems, 737
Nelson, B. J., Vision resolvability for visually servoed manipulation, 75
Notash, L., Forward displacement analysis and uncertainty configurations of parallel manipulators with a redundant branch, 587

Ong, C. J., Computation of penetration between smooth convex objects in three-dimensional space, 303
Ozsoy, C., MIMO and SISO self-tuning hybrid position/force control of robotic manipulators, 41

Pamecha, A., see Chirikjian, G.
Payandeh, S., Force and position control of grasp in multiple robotics mechanisms, 515
Payandeh, S., see Adams, J.
Perrier, C., Position/force control of a manipulator mounted on a vehicle, 687
Pierrot, F., see Perrier, C.
Pin, F. G., Motion planning for mobile manipulators with a non-holonomic constraint using the FSP (full space parameterization) method, 723
Podhorodeski, R. P., see Notash, L.
Primrose, E. J. F., see Hines, R.

Roberts, R. G., On the local fault tolerance of a kinematically redundant manipulator, 649
Ruspini, D., see Khatib, O.
Saif, M., see Payendeh, S.
Sanka, K., see Ashrafiuon, H.
Sarrafi, A., see Soylu, R.
Seraji, H., Experiments in contact control, 53
Seraji, H., Sensor-based collision avoidance: theory and experiments, 571
Sharma, R., see Sutanto, H.
Shen, H. C., see Basir
Shin, H.-C., see Choi, S.-B.
Singh, S. N., see Yim, W.
Song, K.-T., see Chang, C. C.
Song, G., A new approach to robust position/force control of flexible-joint robot manipulators, 429
Soylu, R., Linearization and optimization of robot dynamics via inertial parameter design, 527
St-Arneault, C., see Cloutier, G. M.
Steele, R., see Seraji, H.
Stephanenko, Y., see Su, C.-Y.
Su, C.-Y. On the robust control of robot manipulators including actuator dynamics, 1
Sugihara, K., Distributed algorithms for formation of geometric patterns with many mobile robots, 127
Sung, Y. W., A constrained optimization approach to resolving manipulator redundancy, 275
Sutanto, H., Global performance evaluation of image features for visual servo control, 243
Suzuki, I., see Sugihara, K.

Tahboub, K. A., Robust control of mobile manipulators, 699

Tarokh, M. Decentralized adaptive tracking control of robot manipulators, 803
Tasch, U., see De, A.
Tchoń, K., see Muszynski, R.
Trabia, M. B., see Li, J. Z.
Trevelyan, J., see Legnani, G.
Tulloch, F. A., see Pin, F. G.
Turkkan, N., see Boudreau, R.

Walker, I. D., see Deo, A. S.
Wang, D., see Cheah, C. C.
Wang, L.-C. T., Time-optimal control of multiple cooperating manipulators with trajectory and motion program constraints, 229
Wedeward, K. J., Adaptive explicit force control of position-controlled manipulators, 603
Weng, S.-W., An impact control scheme inspired by human reflex, 837

Yeh, S.-L., see Lin, L.-C.
Yim, W., Predictive end-point trajectory control of elastic manipulators, 561
Yokoi, K., see Khatib, O.
Young, K., see Weng, S.-W.
Yu, J. S., Experimental results of an adaptive controller for robot manipulators, 489
Yuta, S., see Nagatani, K.